

255-1.

VITREOUS CHINA

PLUMBING FIXTURES

CATALOG "D"



• THE PEERLESS SELLING CO •
• EVANSVILLE • IND • U.S.A. •

АКАДЕМИИ НАУК СССР

223174

THE PEERLESS SELLING CO.


EVANSVILLE, IND., U. S. A.

Established 1907

Joint Sales Organization for
PEERLESS TANK AND SEAT WORKS
NATIONAL-HELFRICH POTTERIES CO.

All Parts Manufactured in These Plants

HAND PRESSED
VITREOUS CHINA
PLUMBING FIXTURES



The Closet with the "Long Life"

General Conditions

To insure prompt shipment, when ordering, specify plate number and other details as set forth in catalog.

All combinations are shipped complete as illustrated and specified in catalog, unless otherwise instructed, except stop valves.

In the absence of color specification on varnish finish seats, imitation mahogany will be furnished.

All agreements or contracts made by us are contingent upon strikes, fires, accidents or causes beyond our control.

All quotations are for prompt acceptance or subject to change without notice.

All contracts or orders subject to approval at our home office.

Orders entered upon our books cannot be countermanded except with our consent and upon terms that will indemnify us against loss.

In order that correspondence may receive prompt attention, it should be addressed to the company and not to individuals.

Stenographic and clerical errors are subject to correction.

Claims for corrections must be made within ten days of receipt of goods. Give full details including the date of our invoice.

We will replace defective goods or credit them at our invoice price, but will allow no charge (other than freight) for labor, expense or damage on account of defective material.

Parties desiring to return goods should first arrange with us for shipping instructions. We assume no responsibility for goods returned without our permission.

All fixtures are inspected and packed by experienced men. The responsibility for goods lost or damaged in transit rests with the carriers. We will relieve customer of this responsibility of entering claim when supplied with the original freight bill containing the agent's notation of damage or a concealed damage report.

THE PEERLESS SELLING COMPANY

Evansville, Indiana.

Comparison of Old and New Plate Numbers

Cat. "C" Page Number	Old Plate Number	NAME	New Plate Number	Cat. "D" Page Number
WATER CLOSET COMBINATIONS				
11	C-95	Peseco	D-128	{ 8-9-10 11-12-13
9	C-96	Atlantic	D-130	14-15
7	C-50	Simplicity	D-230	16-17
Cir.	C-54	Reno	D-330	18-19
10	C-195	Naco	D-104	20
8	C-196	Pacific	D-114	21
6	C-100	National	D-214	22
Cir.	C-114	Zimbo	D-314	23
51	C-117	Indian (formerly Superior).....	D-215	24
Cir.	C-118	Arctic	D-315	25
Cir.	C-127	Silent Knight.....	D-410	28
Cir.	C-126	Silent Knight.....	D-510	29
Cir.	C-128	Silent Knight.....	D-412	30
Cir.	C-116	Silent Knight.....	D-512	31
Cir.	C-200	Top Supply.....	D-1214	34
Cir.	C-214	Top Supply.....	D-1314	35
Cir.	C-226	Top Supply.....	D-1510	36
23	C-75	Tanks	D-7	44
19	C-55	Tanks	D-8	44
PLAIN SEATS				
73	C-23	Gloss Fin. No. 0 Hinge.....	D-50	53
73	C-22	Gloss Fin. No. 1 Hinge.....	D-60	53
72	C-67	R. & P. Fin. No. 1 Hinge.....	D-62	53
74	C-72½	R. & P. Fin. No. 1 Hinge.....	D-63	53
74	C-72	R. & P. Fin. No. 2 Hinge.....	D-65	53
SADDLED SEATS				
70	C-64	R. & P. Fin. No. 1 Hinge.....	D-71	54
66	C-69	R. & P. Fin. No. 2 Hinge.....	D-73	54
CRESCENT SEATS				
67	C-73½	R. & P. Fin. No. 1 Hinge.....	D-80	54
67	C-74½	R. & P. Fin. No. 1 Hinge.....	D-81	54
67	C-73	R. & P. Fin. No. 2 Hinge.....	D-82	54
67	C-74	R. & P. Fin. No. 2 Hinge.....	D-83	54
EXTENDED LIP SEATS				
Cir.	C-18	R. & P. Fin. No. 2 Hinge.....	D-90	55
Cir.	C-16	R. & P. Fin. No. 2 Hinge.....	D-92	55
Cir.	C-17	R. & P. Fin. No. 2 Hinge.....	D-93	55
WHITE SEATS—CONCEALED HINGE				
Cir.	C-167	D-162-W	56
Cir.	C-172	D-163-W	56
Cir.	C-169	D-173-W	56
Cir.	C-173	D-182-W	56
Cir.	C-174	D-183-W	56
Cir.	C-118	D-190-W	56
Cir.	C-116	D-192-W	56
BOWLS				
84	C-9	Juvenile	D-23	46
86	C-17	Rear Raised Vent.....	D-15	49
Cir.	C-26	Silent Knight.....	D-10	50
Cir.	C-26	Rear Raised Vent.....	D-11	51
Cir.	C-16	Extended Lip	D-12	51
Cir.	C-16	Extended Lip and Rear Raised Vent.....	D-13	51

INDEX

Page Plate
No. No. Name

**SYPHON WASHDOWN CLOSET
COMBINATIONS**

8	D-128	Peseco
9	D-128W	Peseco
10	D-120	Peseco
11	D-145	Peseco
12	D-121	Peseco
13	D-121 C. R.	Peseco
14	D-130	Atlantic
15	D-138	Atlantic
16	D-230	Simplicity
17	D-238	Simplicity
18	D-330	Reno
19	D-338	Reno

**SYPHON JET CLOSET
COMBINATIONS**

20	D-104	Naco
20	D-104W	Naco
21	D-114	Pacific
21	D-114W	Pacific
22	D-214W	National
22	D-214	National
23	D-314W	Zimbo
23	D-314	Zimbo

REAR RAISED VENT COMBINATIONS

24	D-215W	Indian
24	D-215	Indian
25	D-315W	Arctic
25	D-315	Arctic
28	D-411W	Silent Knight
28	D-411	Silent Knight
29	D-511W	Silent Knight
29	D-511	Silent Knight
34	D-1215W	Arcadia
35	D-1315W	Baltic
36	D-1511W	Silent Knight

EXTENDED LIP COMBINATIONS

26	D-216W	Florence
26	D-216	Florence
27	D-316W	Naples
27	D-316	Naples
30	D-412W	Silent Knight
30	D-412	Silent Knight
31	D-512W	Silent Knight
31	D-512	Silent Knight
34	D-1216W	Arcadia
35	D-1316W	Baltic
36	D-1512W	Silent Knight

Page Plate
No. No. Name

**EXTENDED LIP—REAR RAISED VENT
COMBINATIONS**

24-26	D-217W	Indian
24-26	D-217	Indian
25-27	D-317W	Arctic
25-27	D-317	Arctic
30	D-413W	Silent Knight
30	D-413	Silent Knight
32	D-513W	Silent Knight
32	D-513	Silent Knight
34	D-1217W	Arcadia
35	D-1317W	Baltic
36	D-1513W	Silent Knight
42	D-161F	Royal
42	D-162F	Royal

SILENT KNIGHT COMBINATIONS

28	D-410W	Silent Knight
28	D-410	Silent Knight
29	D-510W	Silent Knight
29	D-510	Silent Knight
36	D-1510W	Silent Knight

REAR RAISED VENT COMBINATIONS


28	D-411W	Silent Knight
28	D-411	Silent Knight
29	D-511W	Silent Knight
29	D-511	Silent Knight
36	D-1511W	Silent Knight

EXTENDED LIP COMBINATIONS

30	D-412W	Silent Knight
30	D-412	Silent Knight
31	D-512W	Silent Knight
31	D-512	Silent Knight
36	D-1512W	Silent Knight

**EXTENDED LIP—REAR RAISED VENT
COMBINATIONS**

30	D-413W	Silent Knight
30	D-413	Silent Knight
32	D-513W	Silent Knight
32	D-513	Silent Knight
36	D-1513W	Silent Knight



INDEX

Page No.	Plate No.	Name
-------------	--------------	------

CONCEALED TOP SUPPLY COMBINATIONS

33	Illustration	
34	D-1214W	Arcadia
34	D-1215W	Arcadia
34	D-1216W	Arcadia
34	D-1217W	Arcadia
35	D-1314W	Baltic
35	D-1315W	Baltic
35	D-1316W	Baltic
35	D-1317W	Baltic
36	D-1510W	Silent Knight
36	D-1511W	Silent Knight
36	D-1512W	Silent Knight
36	D-1513W	Silent Knight

FLUSH OMETER COMBINATIONS

37	D-150F	Royal
38	D-151F	Royal
39	D-152F	Royal
40	D-153F	Royal
41	D-154F	Royal
42	D-161F	Royal
42	D-162F	Royal
42	D-163F	Royal
42	D-164F	Royal

VITREOUS CHINA WATER CLOSET TANKS

43	D-1-E	Tank
43	D-1-O	Tank
43	D-2-E	Tank
43	D-2-O	Tank
43	D-2-S	Tank
43	D-3-E	Tank
43	D-3-O	Tank
43	D-3-S	Tank
43	D-4-O	Tank
43	D-4-S	Tank
43	D-5-O	Tank
43	D-5-S	Tank

CONCEALED TOP SUPPLY TANKS

44	D-12-E	Tank
44	D-12-O	Tank
44	D-12-S	Tank
44	D-13-E	Tank
44	D-13-O	Tank
44	D-13-S	Tank
44	D-15-E	Tank
44	D-15-O	Tank
44	D-15-S	Tank

WOOD WATER CLOSET TANKS

44	D-7-E	Tank
44	D-8-E	Tank

Page No.	Plate No.	Name
-------------	--------------	------

BOWLS—SYPHON WASHDOWN

45	D-20	Standard
45	D-28	Standard
45	D-21	Close Roughing
46	D-45	Center Outlet
46	D-23	Juvenile
46	D-28	Jet Pipe
47	D-30	Heavy Pattern
47	D-38	Heavy Pattern
47	D-38	Local Vent
37	D-37	Top Supply

REVERSE TRAP

48	D-32	Back Supply
----	------	-------------

SIDE SUPPLY

48	D-28	S. S. Washdown
48	D-32	S. S. Reverse Trap
48	D-14	S. S. Syphon Jet

SYPHON JET

49	D-4	Standard
49	D-14	Heavy Pattern
49	D-15	Rear Raised Vent
50	D-16	Extended Lip
50	D-17	Ex. Lip-R. R. V.
50	D-10	Silent Knight
51	D-11	S. K. Rear Raised Vent
51	D-12	S. K. Extended Lip
51	D-13	S. K. Ex. Lip R. R. V.
51	D-8	Juvenile

MISCELLANEOUS EARTHENWARE

52	Basins
52	Urinals
52	Hoppers
73	Shields

INDEX

Page Plate
No. No. Name

WOOD WATER CLOSET SEATS

Regular Seats

53 D-50
53 D-51
53 D-60
53 D-61
53 D-62
53 D-63
53 D-64
53 D-65

Saddled Seats

54 D-70
54 D-71
54 D-72
54 D-73
54 D-74

Crescent Seats

54 D-80
54 D-81
54 D-82
54 D-83
54 D-84

Extended Lip Seats

55 D-90 Full Ring
55 D-91 Less Cover
55 D-92 Crescent
55 D-93 Less Cover

Self Raising Seats

55 D-67
55 D-68

Close Roughing Seat

55 D-66

Baby Seats

55 D-100
55 D-100W

Page Plate
No. No. Name

WHITE SEATS

56 D-162W Plain
56 D-163W Less Cover
56 D-173W Saddled
56 D-174W Less Cover
56 D-182W Crescent
56 D-183W Less Cover

Extended Lip Seats

56 D-190W Full Ring
56 D-191W Less Cover
56 D-192W Crescent
56 D-193W Less Cover

REINFORCED SEATS

57 D-251
57 D-261
57 D-265
57 D-281
57 D-283

METAL PARTS

Hinges

58 Seat Hinges
60 Self Raising Hinges
60 Close Roughing Hinge

Supply Valves

62 Regular Supply Valves
64 Supply Valve with Cup Leather on Stem
66 Semi-Silent Sup. Valve
66 Concealed Top Sup. Valve
68 Silent Supply Valve

Miscellaneous

70 Flush Levers
70 Flush Valves
71 Water Closet Spuds
Spud Increasers
Spud Reducers
72 N. P. Water Closet Supplies
Miscellaneous Parts
73 Vitreous China Shields
74 White Finished Metal Parts

Vitreous China Closet Combination



*Hand
Pressed
Ware*

D-128 Peseco


14" Roughing

D-1-E Tank, two fired Vitreous China, **PEERLESS** heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, rocking top lever.

D-50 **DONT WORRY SEAT** Seat, gloss finish, No. 0 N. P. cast brass bar hinge, bolted on.

D-28 Bowl, two fired Vitreous China, syphon action washdown.


Approximate weight packed, 150 lbs.



D-128


Owing to variation of shrinkage of Vitreous Ware, measurements may vary from 1/4 inch to 1/2 inch.

**THE PEERLESS
SELLING CO.**
EVANSVILLE, INDIANA



The Closet with the "Long Life"

Vitreous China Closet Combination



D-128W Peseco

14" Roughing


D-1-EW Tank, two fired Vitreous China, PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, all white trimmings, rocking top lever.

D-162W DONT WORRY SEAT Seat, Celluloid White Finish, No. 9 concealed hinge.

D-28 Bowl, two fired Vitreous China, syphon action washdown.

Approximate weight packed, 150 lbs.


Hand
Pressed
Ware




D-128

Owing to variation of shrinkage of Vitreous Ware, measurements may vary from 1/4 inch to 1/2 inch.

PEERLESS
SELLING CO.
EVANSVILLE, INDIANA



The Closet with the "Long Life"



THE PEERLESS SELLING CO. EVANSVILLE, IND.



Vitreous China Closet Combination




*Hand
Pressed
Ware*

D-120 Peseco

12" Roughing

- D-1-E Tank, two fired Vitreous China,  heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, rocking top lever.
- D-50  Seat, gloss finish, No. 0 N. P. cast brass bar hinge, bolted on.
- D-20 Bowl, two fired Vitreous China, syphon action washdown.


Approximate weight packed, 150 lbs.



D-120

Owing to variation of shrinkage of Vitreous Ware, measurements may vary from 1/4 inch to 1/2 inch.


SELLING CO.
EVANSVILLE, INDIANA



The Closet with the "Long Life"


Vitreous China Closet Combination




Hand
Pressed
Ware

D-145 Peseco

18" Roughing

- D-1-E Tank, two fired Vitreous China, PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, rocking top lever.
- D-50  Seat, gloss finish, No. 0 N. P. cast brass bar hinge, bolted on.
- D-45 Bowl, two fired Vitreous China, syphon action washdown.


Approximate weight packed, 150 lbs.



D-145

Owing to variation of shrinkage of Vitreous Ware, measurements may vary from 1/4 inch to 1/2 inch.

PEERLESS
SELLING CO.
EVANSVILLE, INDIANA



The Closet with the "Long Life"

January 2, 1926.



THE PEERLESS SELLING CO. EVANSVILLE, IND.

Vitreous China Closet Combination




D-121 Peseco

11" Roughing

- D-1-E Tank, two fired Vitreous China, **PEERLESS** heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, rocking top lever.
- D-50 **DON'T WORRY SEAT** Seat, gloss finish, No. 0 N. P. cast brass bar hinge, bolted on.
- D-21 Bowl, two fired Vitreous China, syphon action washdown.

Approximate weight packed, 155 lbs.

*Hand
Pressed
Ware*



The Closet with the "Long Life"


Vitreous China Closet Combination




*Hand
Pressed
Ware*

D-121 C. R. Peseco

9" Roughing

- D-1-E Tank, two fired Vitreous China, PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, rocking top lever.
- D-66  Seat, gloss finish, No. 5 N. P. close roughing hinge, bolted on.
- D-21 Bowl, two fired Vitreous China, syphon action washdown.


Approximate weight packed, 155 lbs.




D-121 C.R.

Owing to variation of shrinkage of Vitreous Ware, measurements may vary from 1/4 inch to 1/2 inch.

THE PEERLESS
SELLING CO.
EVANSVILLE, INDIANA



The Closet with the "Long Life"



THE PEERLESS SELLING CO. EVANSVILLE, IND.

Vitreous China Closet Combination



*Hand
Pressed
Ware*

D-130 Atlantic


12" Roughing

D-1-E Tank, two fired Vitreous China, **PEERLESS** heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, rocking top lever.

D-60 **DON'T WORRY SEAT** Seat, gloss finish, No. 1 N. P. cast brass bar hinge, bolted on.

D-30 Bowl, two fired Vitreous China, syphon action washdown.


Approximate weight packed, 155 lbs.



D-130

Owing to variation of shrinkage of Vitreous Ware, measurements may vary from 1/4 inch to 1/2 inch.

PEERLESS
SELLING CO.
EVANSVILLE, INDIANA




The Closet with the "Long Life"

Vitreous China Closet Combination




D-138 Atlantic

14" Roughing

- D-1-E Tank, two fired Vitreous China, PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, rocking top lever.
- D-60  Seat, gloss finish No. 1 N. P. cast brass bar hinge, bolted on.
- D-38 Bowl, two fired Vitreous China, syphon action washdown.

Approximate weight packed, 155 lbs.


Hand
Pressed
Ware



D-138

Owing to variation of shrinkage of Vitreous Ware, measurements may vary from 1/4 inch to 1/2 inch.

PEERLESS
SELLING CO.
EVANSVILLE, INDIANA



The Closet with the "Long Life"

Vitreous China Closet Combination



*Hand
Pressed
Ware*

D-230 Simplicity

12" Roughing


D-2-E Tank, two fired Vitreous China, **PEERLESS** heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, bottom pull lever.

D-62 **DONT WORRY SEAT** Seat, rubbed and polished finish, No. 1 N. P. cast brass bar hinge, bolted on.

D-30 Bowl, two fired Vitreous China, syphon action washdown.

Also furnished with Rocking Top Lever.


Approximate weight packed, 165 lbs.



D-230

Owing to variation of shrinkage of Vitreous Ware, measurements may vary from 1/4 inch to 1/2 inch.

PEERLESS
SELLING CO.
EVANSVILLE, INDIANA



The Closet with the "Long Life"


Vitreous China Closet Combination



*Hand
Pressed
Ware*


D-238 Simplicity

14" Roughing

- D-2-E Tank, two fired Vitreous China, PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, bottom pull lever.
- D-62  Seat, rubbed and polished finish, No. 1 N. P. cast brass bar hinge, bolted on.
- D-38 Bowl, two fired Vitreous China, syphon action washdown.

Also furnished with Rocking Top Lever.

Approximate weight packed, 165 lbs.



The Closet with the "Long Life"

Vitreous China Closet Combination



*Hand
Pressed
Ware*

D-330 Reno

12" Roughing


D-3-E Tank, two fired Vitreous China, **PEERLESS** heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, rocking top lever.

D-62 **DON'T WORRY SEAT** Seat, rubbed and polished finish, No. 1 N. P. cast brass bar hinge, bolted on.

D-30 Bowl, two fired Vitreous China, syphon action washdown.

Also furnished with Bottom Pull Lever.


Approximate weight packed, 165 lbs.



D-330

Owing to variation of shrinkage of Vitreous Ware, measurements may vary from 1/4 inch to 1/2 inch.

PEERLESS
SELLING CO.
EVANSVILLE, INDIANA




The Closet with the "Long Life"

Vitreous China Closet Combination



D-338 Reno


14" Roughing

- D-3-E Tank, two fired Vitreous China, PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, rocking top lever.
- D-62  Seat, rubbed and polished finish, No. 1 N. P. cast brass bar hinge, bolted on.
- D-38 Bowl, two fired Vitreous China, syphon action washdown.

Also furnished with Bottom Pull Lever.

Approximate weight packed, 165 lbs.

*Hand
Pressed
Ware*




The Closet with the "Long Life"

Vitreous China Closet Combination





*Hand
Pressed
Ware*



D-104 Naco

14" Roughing

- D-1-O Tank, two fired Vitreous China,
 heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, rocking top lever.
- D-50  Seat, gloss finish, No. 0 N. P. cast brass bar hinge, bolted on.
- D-4 Bowl, two fired Vitreous China, syphon jet, china bolt caps.

D-104W Naco

Combination same as above with D-162W White Seat, all white trimmings, including china shield.

Approximate weight packed, 170 lbs.

The Closet with the "Long Life"

Vitreous China Closet Combination



D-114 Pacific

13½" Roughing


- D-1-O** Tank, two fired Vitreous China, PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, nickel plated trimmings, with china shield, rocking top lever.
- D-60** DONT WORRY SEAT Seat, gloss finish, No. 1 N. P. cast brass bar hinge, bolted on.
- D-14** Bowl, two fired Vitreous China, syphon jet, china bolt caps.

D-114W Pacific

Combination same as above with D-162W White Seat, all white trimmings.

Approximate weight packed, 175 lbs.

*Hand
Pressed
Ware*



The Closet with the "Long Life"


Vitreous China Closet Combination



D-214W National

13½" Roughing

D-2-OW Tank, two fired Vitreous China, heavy brass fittings, elevated supply valve, rubber ball flush, all white trimmings with china shield, bottom pull lever.

D-162W  Seat, Celluloid White finish, No. 9 concealed hinge.

D-14 Bowl, two fired Vitreous China, syphon jet, china bolt caps.


D-214 National

Combination same as above with nickel plated trimmings.

Also furnished with Rocking Top Lever.


Approximate weight packed, 190 lbs.

Hand
Pressed
Ware




The Closet with the "Long Life"


Vitreous China Closet Combination



D-314W Zimbo

13½" Roughing

D-3-OW Tank, two fired Vitreous China,  heavy brass fittings, elevated supply valve, rubber ball flush, all white trimmings with china shield, rocking top lever.

D-162W  Seat, Celluloid White finish, No. 9 concealed hinge.

D-14 Bowl, two fired Vitreous China, syphon jet, china bolt caps.


D-314 Zimbo

Combination same as above with nickel plated trimmings.

Also furnished with Bottom Pull Lever.

Approximate weight packed, 190 lbs.

*Hand
Pressed
Ware*



The Closet with the "Long Life"

January 2, 1926.

Vitreous China Closet Combination



D-215W Indian

13" Roughing

D-2-SW Tank, two fired Vitreous China, heavy brass fittings, elevated supply valve, rubber ball flush, all white trimmings with white china flange, bottom pull lever.

D-162W **DONT WORRY SEAT** Seat, Celluloid White finish, No. 9 concealed hinge.

D-15 Bowl, two fired Vitreous China, syphon jet, with rear raised vent, china wall flange and bolt caps.

D-215 Indian

Combination same as above with nickel plated trimmings.

Also furnished with Rocking Top Lever.

Approximate weight packed, 205 lbs.

D-217W Indian

Extended Lip and Rear Raised Vent

D-2-SW Tank, two fired Vitreous China, etc.


D-190W Full Ring Seat, Celluloid White finish.

D-17 Bowl, extended lip and rear raised vent, china wall flange and bolt caps.
For roughing in of D-17 Bowl see page No. 50.

D-217 Indian

Combination same as above with nickel plated trimmings.

Approximate weight packed, 210 lbs.




The Closet with the "Long Life"


Vitreous China Closet Combination



D-315W Arctic

13" Roughing

D-3-SW Tank, two fired Vitreous China,  heavy brass fittings, elevated supply valve, rubber ball flush, all white trimmings with white china flange, rocking top lever.

D-162W  Seat, Celluloid White finish, No. 9 concealed hinge.

D-15 Bowl, two fired Vitreous China, syphon jet, with rear raised vent, china wall flange and bolt caps.

D-315 Arctic

Combination same as above with nickel plated trimmings.

Also furnished with Bottom Pull Lever.

Approximate weight packed, 205 lbs.

D-317W Arctic

Extended Lip and Rear Raised Vent

D-3-SW Tank, two fired Vitreous China, etc.


D-190W Full Ring Seat, Celluloid White finish.

D-17 Bowl, extended lip and rear raised vent, china wall flange and bolt caps.
For roughing in of D-17 Bowl see page No. 50.

D-317 Arctic

Combination same as above with nickel plated trimmings.

Approximate weight packed, 210 lbs.



The Closet with the "Long Life"

Vitreous China Closet Combination



D-216W Florence

14" Roughing

D-2-OW Tank, two fired Vitreous China, **PEERLESS** heavy brass fittings, elevated supply valve, rubber ball flush, all white trimmings with china shield, bottom pull lever.

D-190W **DONT WORRY SEAT** full ring Seat, Celluloid White finish, No. 9 concealed hinge.

D-16 Bowl, two fired Vitreous China, syphon jet, with extended lip, china bolt caps.

D-216 Florence

Combination same as above with nickel plated trimmings.

Also furnished with Rocking Top Lever.

Approximate weight packed, 195 lbs.

D-217W Indian

Extended Lip and Rear Raised Vent

D-2-SW Tank, with white china flange, all white trimmings.


D-190W Full Ring Seat, Celluloid White finish.

D-17 Bowl, extended lip and rear raised vent, china wall flange and bolt caps.
For roughing in of D-17 Bowl see page No. 50.

D-217 Indian

Combination same as above with nickel plated trimmings.

Approximate weight packed, 210 lbs.



The Closet with the "Long Life"

Vitreous China Closet Combination



D-316W Naples

14" Roughing

D-3-OW Tank, two fired Vitreous China, **PEERLESS** heavy brass fittings, elevated supply valve, rubber ball flush, all white trimmings with china shield, rocking top lever.

D-192W **DONT WORRY SEAT** Crescent Seat, Celluloid White finish, No. 9 concealed hinge.

D-16 Bowl, two fired Vitreous China, syphon jet, with extended lip, china bolt caps.

D-316 Naples

Combination same as above with nickel plated trimmings.

Also furnished with Bottom Pull Lever.

Approximate weight packed, 195 lbs.

D-317W Arctic

Extended Lip and Rear Raised Vent

D-3-SW Tank, with white china flange, all white trimmings.


D-190W Full Ring Seat, Celluloid White finish.

D-17 Bowl, extended lip and rear raised vent, china wall flange and bolt caps.
For roughing in of D-17 Bowl see page No. 50.

D-317 Arctic


Combination same as above with nickel plated trimmings.

Approximate weight packed, 210 lbs.



The Closet with the "Long Life"

Vitreous China Closet Combination



D-410W Silent Knight

13½" Roughing

D-4-OW Tank, two fired Vitreous China, **PEERLESS** heavy brass fittings, silent elevated supply valve, rubber ball flush, all white trimmings with china shield, rocking top lever.

D-173W **DON'T WORRY SEAT** saddled Seat, Celluloid White finish, No. 9 concealed hinge.

D-10 Bowl, two fired Vitreous China, syphon jet with silencer, china bolt caps.

D-410 Silent Knight

Combination same as above with nickel plated trimmings.

Also furnished with Bottom Pull Lever.

Approximate weight packed, 195 lbs.

Silent Supply Valve

See recommendations on page No. 69.

D-411W Silent Knight

Rear Raised Vent

D-4-SW Tank, with white china flange, all white trimmings.


D-173W Saddled Seat, Celluloid White finish.

D-11 Bowl, rear raised vent, with silencer, china wall flange and bolt caps.
For roughing in of D-11 Bowl see page No. 51.

D-411 Silent Knight


Combination same as above with nickel plated trimmings.

Approximate weight packed, 210 lbs.



The Closet with the "Long Life"

Vitreous China Closet Combination



D-510W Silent Knight

13½" Roughing

D-5-OW Tank, two fired Vitreous China, heavy brass fittings, silent elevated supply valve, rubber ball flush, all white trimmings with china shield, bottom pull lever.

D-173W **DONT WORRY SEAT** saddled Seat, Celluloid White finish, No. 9 concealed hinge.

D-10 Bowl, two fired Vitreous China, syphon jet with silencer, china bolt caps.

D-510 Silent Knight

Combination same as above with nickel plated trimmings.

Approximate weight packed, 200 lbs.

Silent Supply Valve

See recommendations on page No. 69.

D-511W Silent Knight

Rear Raised Vent

D-5-SW Tank, with white china flange, all white trimmings.


D-173W Saddled Seat, Celluloid White finish.

D-11 Bowl, rear raised vent, with silencer, china wall flange and bolt caps.
For roughing in of D-11 Bowl see page No. 51.

D-511 Silent Knight

Combination same as above with nickel plated trimmings.


Approximate weight packed, 215 lbs.



The Closet with the "Long Life"

January 2, 1926.

Vitreous China Closet Combination



D-412W Silent Knight

14" Roughing

D-4-OW Tank, two fired Vitreous China, **PEERLESS** heavy brass fittings, silent elevated supply valve, rubber ball flush, all white trimmings with china shield, rocking top lever.

D-190W **DONT WORRY SEAT** full ring Seat, Celluloid White finish, No. 9 concealed hinge.

D-12 Bowl, two fired Vitreous China, syphon jet, extended lip with silencer, china bolt caps.

D-412 Silent Knight

Combination same as above with nickel plated trimmings.

Also furnished with Bottom Pull Lever.

Approximate weight packed, 200 lbs.

Silent Supply Valve

See recommendations on page No. 69

D-413W Silent Knight

Extended Lip and Rear Raised Vent

D-4-SW Tank with white china flange, all white trimmings.


D-190W Full Ring Seat, Celluloid White finish.

D-13 Bowl, extended lip and rear raised vent, with silencer, china wall flange and bolt caps. For roughing in of D-13 Bowl see page No. 32.

D-413 Silent Knight

Combination same as above with nickel plated trimmings.

Approximate weight packed, 215 lbs.



The Closet with the "Long Life"


Vitreous China Closet Combination



D-512W Silent Knight

14" Roughing

D-5-OW Tank, two fired Vitreous China, PEERLESS heavy brass fittings, silent elevated supply valve, rubber ball flush, all white trimmings with china shield, bottom pull lever.

D-192W  crescent Seat, Celluloid White finish, No. 9 concealed hinge.

D-12 Bowl, two fired Vitreous China, syphon jet, extended lip with silencer, china bolt caps.

D-512 Silent Knight


Combination same as above with nickel plated trimmings.

Approximate weight packed, 205 lbs.

Silent Supply Valve

See recommendations on page No. 69.


Hand Pressed Ware



The Closet with the "Long Life"

January 2, 1926.

Vitreous China Closet Combination



D-513W Silent Knight

13" Roughing

D-5-SW Tank, two fired Vitreous China, **PEERLESS** heavy brass fittings, silent elevated supply valve, rubber ball flush, all white trimmings, with white china flange, bottom pull lever.

D-190W **DONT WORRY SEAT** full ring Seat, Celluloid White finish, No. 9 concealed hinge.

D-13 Bowl, two fired Vitreous China, syphon jet, extended lip, rear raised vent with silencer, china wall flange and bolt caps.

D-513 Silent Knight


Combination same as above with nickel plated trimmings.

Approximate weight packed, 220 lbs.

Silent Supply Valve


See recommendations on page No. 69.

Hand Pressed Ware



The Closet with the "Long Life"

Top Supply Mechanism



*Hand
Pressed
Ware*


Concealed Top Supply Tank, illustration showing method of operation, how concealed supply enters tank from the rear also regulating stop valve on supply.

Combinations indicated and listed on subsequent pages equipped with this style valve.

The Closet with the "Long Life"

January 2, 1926.

Vitreous China Closet Combination Concealed Top Supply



D-1214W Arcadia

13½" Roughing

D-12-OW Tank, two fired Vitreous China, **PEERLESS** heavy brass fittings, concealed top supply valve, rubber ball flush, all white trimmings with china shield, rocking top lever.

D-173W **DONT WORRY SEAT** saddled Seat, Celluloid White finish, No. 9 concealed hinge.

D-14 Bowl, two fired Vitreous China, syphon jet, china bolt caps.

Approximate weight packed, 190 lbs.

D-1215W Arcadia

Rear Raised Vent combination. For roughing in of D-15 bowl see page No. 49.

Also furnished with Bottom Pull Lever.

Approximate weight packed, 205 lbs.

D-1216W Arcadia


Extended Lip combination, with D-190W full ring Celluloid White seat. For roughing in of D-16 bowl see page No. 50.

Approximate weight packed, 195 lbs.

D-1217W Arcadia


Extended Lip, Rear Raised Vent, D-190W full ring Celluloid White seat. For roughing in of D-17 bowl see Page No. 50.

Approximate weight packed, 210 lbs.



The Closet with the "Long Life"

Vitreous China Closet Combination Concealed Top Supply



D-1314W Baltic

13½" Roughing

D-13-OW Tank, two fired Vitreous China, heavy brass fittings, concealed top supply valve, rubber ball flush, all white trimmings with china shield, rocking top lever.

D-173W **DON'T WORRY SEAT** saddled Seat, Celluloid White finish, No. 9 concealed hinge.

D-14 Bowl, two fired Vitreous China, syphon jet, china bolt caps.

Approximate weight packed, 190 lbs.

D-1315W Baltic

Rear Raised Vent combination. For roughing in of D-15 bowl see page No. 49.

Also furnished with Bottom Pull Lever.

Approximate weight packed, 205 lbs.

D-1316W Baltic


Extended Lip combination, with D-190W full ring Celluloid White seat. For roughing in of D-16 bowl see page No. 50.

Approximate weight packed, 195 lbs.

D-1317W Baltic

Extended Lip, Rear Raised Vent, D-190W full ring Celluloid White seat. For roughing in of D-17 bowl see page No. 50.


Approximate weight packed, 210 lbs.



D-1314

Owing to variation of shrinkage of Vitreous Ware, measurements may vary from ¼ inch to ½ inch.


PEERLESS
SELLING CO.
EVANSVILLE, INDIANA



The Closet with the "Long Life"

January 2, 1926.

Vitreous China Closet Combination Concealed Top Supply



D-1510W Silent Knight

13½" Roughing

D-15-OW Tank, two fired Vitreous China, heavy brass fittings, concealed top supply valve, rubber ball flush, all white trimmings with china shield, bottom pull lever.

D-173W *DON'T WORRY SEAT* saddled Seat, Celluloid White finish, No. 9 concealed hinge.

D-10 Bowl, two fired Vitreous China, syphon jet, with silencer, china bolt caps.

Approximate weight packed, 200 lbs.

D-1511W Silent Knight

Rear Raised Vent combination. For roughing in of D-11 bowl see page No. 51.

Approximate weight packed, 215 lbs.

D-1512W Silent Knight


Extended Lip combination, with D-190W full ring Celluloid White seat. For roughing in of D-12 bowl see page No. 51.

Approximate weight packed, 205 lbs.

D-1513W Silent Knight

Extended Lip, Rear Raised Vent, D-190W full ring Celluloid White seat. For roughing in of D-13 bowl see page No. 32.

Approximate weight packed, 220 lbs.



The Closet with the "Long Life"

Flush Ometer Combination




*Hand
Pressed
Ware*

D-150-F Royal

14" Roughing


F-50 YG Nickel Plated Flush Valve with back inlet, 1 inch straight stop, china oscillating handle, 1½ inch O. D. Flush connection, spud coupling, wall and spud flanges and bumper on valve for seat with cover.

D-50  Seat, gloss finish, No. 0 N. P. cast brass bar hinge, bolted on.

D-37 Bowl, two fired Vitreous China, syphon action washdown, top supply.

Approximate weight packed, 80 lbs.

Can also furnish "Whale-Bone-It" or "Evernu" hard rubber seat.



The Closet with the "Long Life"

January 2, 1926.

Flush Ometer Combination




*Hand
Pressed
Ware*

D-151-F Royal

9 1/2" Roughing


F-53 YH Nickel Plated Flush Valve with back inlet, 1 inch straight stop, china oscillating handle, 1 1/2 inch O. D. Elbow Flush connection, spud coupling, wall and spud flanges and wall bumper for seat with cover.

D-50  Seat, gloss finish, No. 0 N. P. cast brass bar hinge, bolted on.

D-28 SS Bowl, two fired Vitreous China, syphon action washdown, side supply.

Approximate weight packed, 70 lbs.

Can also furnish "Whale-Bone-It" or "Evernu" hard rubber seat.



The Closet with the "Long Life"

Flush Ometer Combination



*Hand
Pressed
Ware*

D-152-F Royal

8" Roughing

F-53 YH Nickel Plated Flush Valve with back inlet, 1 inch straight stop, china oscillating handle, 1 1/2 inch O. D. Elbow Flush connection, spud coupling, wall and spud flanges and wall bumper for seat with cover.

D-62




Seat, rubbed and polished finish, No. 1 N. P. cast brass bar hinge.

D-32 SS Bowl, two fired Vitreous China, syphon action, reverse trap, side supply.

Approximate weight packed, 78 lbs.


Can also furnish "Whale-Bone-Ite" or "Evernu" hard rubber seat.



The Closet with the "Long Life"

January 2, 1926.

Flush Ometer Combination




*Hand
Pressed
Ware*

D-153-F Royal

12" Roughing


F-53 YH Nickel Plated Flush Valve with back inlet, 1 inch straight stop, china oscillating handle, 1½" O. D. Elbow Flush connection, spud coupling, wall and spud flanges and wall bumper for seat with cover.

D-62  Seat, rubbed and polished finish, No. 1 N. P. cast brass bar hinge.

D-14 SS Bowl, two fired Vitreous China, syphon jet, side supply.

Approximate weight packed, 100 lbs.

Can also furnish "Whale-Bone-Ite" or "Evernu" hard rubber seat.



The Closet with the "Long Life"

Flush Ometer Combination




*Hand
Pressed
Ware*

D-154-F Royal

14" Roughing


F-50 YG Nickel Plated Flush Valve with back inlet, 1 inch straight stop, china oscillating handle, 1½ inch O. D. Flush connection, spud coupling, wall and spud flanges and bumper on valve for seat with cover.

D-62  Seat, rubbed and polished finish, No. 1 N. P. cast brass bar hinge.

D-14 Bowl, two fired Vitreous China, syphon jet, top supply.


Approximate weight packed, 95 lbs.

Can also furnish "Whale-Bone-Ite" or "Evernu" hard rubber seat.



The Closet with the "Long Life"

January 2, 1926.



Flush Ometer Combination

Hand Pressed Ware

D-163-F Royal

(Without seat action device)

13" Roughing

F-50 A. D.-YI, Nickel Plated Flush Valve, inlet on right hand side of valve with 1 inch angle stop, china oscillating handle, 1½ inch O. D. Flush connection, spud coupling, wall and spud flanges, wall bumpers for open front-seat.

D-93



Crescent Seat, rubbed and polished finish, No. 2 N. P. heavy brass bar hinge.


D-13

Bowl, two fired Vitreous China, top supply, rear raised vent and extended lip, china wall flange and bolt caps.

D-164-F Royal

Combination same as above except furnished with D-17 Bowl. Same measurements.

Approximate weight packed, 110 lbs.



D-161-F Royal

13" Roughing

F-61 YK-YL.

Nickel Plated Flush Valve seat operated, inlet on right hand side of valve with 1 inch angle stop, 1½ inch O. D. Flush connection, spud coupling, wall and spud flanges.

D-18-59

Ebony "Whale-Bone-It" open front and back seat, N. P. adjustable bar check hinge.

D-13

Bowl, two fired Vitreous China, top supply, rear raised vent and extended lip, china wall flange and bolt caps.


D-162-F Royal

Combination same as above except furnished with D-17 Bowl. Same measurements.

Approximate weight packed, 120 lbs.

The Closet with the "Long Life"

Vitreous China Water Closet Tanks



D-1-E Tank, Two Fired Vitreous China


PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, 2" x 5" x 6" N. P. flush ell, $\frac{3}{8}$ " I. P. S. supply pipe with collar. (Slip joint supply furnished when specified).

See measurements on page No. 8.

D-1-O Tank

Same specifications as above except 2" x 2" x 6" N. P. offset flush connection.

Approximate weight packed, 90 lbs.



D-3-E Tank, Two Fired Vitreous China

PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, 2" x 5" x 6" N. P. flush ell, $\frac{3}{8}$ " I. P. S. supply pipe with collar. (Slip joint supply furnished when specified).

See measurements on page No. 18.

D-3-O Tank

Same specifications as above except 2" x 2" x 6" N. P. offset flush connection.

D-3-S Tank

Same specifications as above except 2" x 3" N. P. straight flush connection.


D-4-O Tank

Same specifications, except silent supply valve (see recommendations on page No. 69), 2" x 2" x 6" N. P. offset flush connection.

D-4-S Tank

Same specifications, except silent supply valve (see recommendations on page No. 69), 2" x 3" N. P. straight flush connection.

Approximate weight packed, 100 lbs.
Also furnished with Bottom Pull Lever.



D-2-E Tank, Two Fired Vitreous China

PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, 2" x 5" x 6" N. P. flush ell, $\frac{3}{8}$ " I. P. S. supply pipe with collar. (Slip joint supply furnished when specified.)

See measurements on page No. 16.


D-2-O Tank

Same specifications as above except 2" x 2" x 6" N. P. offset flush connection.

D-2-S Tank

Same specifications as above except 2" x 3" N. P. straight flush connection.

Approximate weight packed, 100 lbs.
Also furnished with Rocking Top Lever.



D-5-O Tank, Two Fired Vitreous China


PEERLESS heavy brass fittings, silent elevated supply valve, (see recommendations on page No. 69), rubber ball flush, 2" x 2" x 6" N. P. offset flush connection, $\frac{3}{8}$ " I. P. S. supply pipe with collar. (Slip joint supply furnished when specified)

D-5-S Tank


Same specifications as above except 2" x 3" N. P. straight flush connection.

Approximate weight packed, 105 lbs.

See measurements on page No. 29.



*Concealed
Top
Supply
Tanks*



D-12-E Tank, Two Fired Vitreous China

PEERLESS heavy brass fittings, concealed top supply valve, rubber ball flush, 2" x 5" x 6" N. P. flush ell.
See measurements on page No. 34.

D-12-O Tank Same specifications as above except 2" x 2" x 6" N. P. offset flush connection.

D-12-S Tank Same specifications as above except 2" x 3" N. P. straight flush connection.

Also furnished with Bottom Pull Lever.
Approximate weight packed, 100 lbs.


D-13-E Tank, Two Fired Vitreous China

PEERLESS heavy brass fittings, concealed top supply valve, rubber ball flush, 2" x 5" x 6" N. P. flush ell.
See measurements on page No. 35.

D-13-O Tank Same specifications as above except 2" x 2" x 6" N. P. offset flush connection.

D-13-S Tank Same specifications as above except 2" x 3" N. P. straight flush connection.

Also furnished with Bottom Pull Lever.
Approximate weight packed, 100 lbs.



D-15-E Tank, Two Fired Vitreous China

PEERLESS heavy brass fittings, concealed top supply valve, rubber ball flush, 2" x 5" x 6" N. P. flush ell.

See measurements on page No. 36.


D-15-O Tank Same specifications as above except 2" x 2" x 6" N. P. offset flush connection.

D-15-S Tank Same specifications as above except 2" x 3" N. P. straight flush connection.

Approximate weight packed, 105 lbs.


D-15-O Tank, Two Fired Vitreous China

Wood Water Closet Tanks, Imitation Mahogany, Golden, Natural, or Antique Oak




D-7-E Tank, Gloss Finish

PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, copper lined, 2" x 5" x 6" N. P. flush ell, $\frac{3}{8}$ " I. P. S. supply pipe with collar. (Slip joint supply furnished when specified).
See measurements on page No. 8 (Same as D-1-E Tank).
Approximate weight packed, 45 lbs.



D-8-E Tank, Rubbed and Polished Finish

PEERLESS heavy brass fittings, elevated supply valve, rubber ball flush, copper lined, 2" x 5" x 6" N. P. flush ell, $\frac{3}{8}$ " I. P. S. supply pipe with collar. (Slip joint supply furnished when specified).
See measurements on page No. 8. (Same as D-1-E Tank).
Approximate weight packed, 45 lbs.




D-20


12" Roughing, with low down tank.
Approximate weight packed, 50 lbs.

Vitreous China Water Closet Bowls
Standard Syphon Action Washdowns


*Hand
Pressed
Ware*



D-20




D-28




D-28

14" Roughing, with low down tank.
Approximate weight packed, 50 lbs.



D-21

11" Roughing, with low down tank.
Approximate weight packed, 55 lbs.
9" Roughing, by using D-66 Seat with No. 5 close roughing hinge.





D-21



D-45

18" Roughing, with low down tank.
Approximate weight packed, 50 lbs.



D-23





D-28 Jet Pipe

14" Roughing, with low down tank.
Can furnish Jet Pipe on any bowl.
Approximate weight packed, 50 lbs.

Vitreous China Water Closet Bowls
Syphon Action Washdowns

*Hand
Pressed
Ware*





D-45



D-23 Juvenile


14" Roughing, with low down tank.
Approximate weight packed, 50 lbs.



D-28 J. P.



Vitreous China Water Closet Bowls

Heavy Pattern Syphon Action Washdowns. Recess in Rim.



D-30

12" Roughing, with low down tank.
Approximate weight packed, 55 lbs.





D-38




D-38 Left Hand Local Vent

14" Roughing, with low down tank.
Can furnish Right or Left Hand Local Vent on any bowl.
Approximate weight packed, 60 lbs.

Hand
Pressed
Ware





D-30



D-38

14" Roughing, with low down tank.
Approximate weight packed, 55 lbs.



D-38 L. V.

January 2, 1926

Vitreous China Water Closet Bowls

Reverse Trap and Side Supply





D-32 Reverse Trap

14" Roughing, with low down tank.

D-32 Side Supply

See measurements on page No. 39.
Approximate weight packed, 58 lbs.





D-14 S. S.



D-28 Side Supply

Approximate weight packed, 55 lbs.

*Hand
Pressed
Ware*





D-32




D-14 Side Supply

Approximate weight packed, 80 lbs.





D-28 S. S.

Vitreous China Syphon Jet Water Closet Bowls





Hand
Pressed
Ware




D-4

D-4 Standard Syphon Jet

14" Roughing, with 2" offset, low down tank.
Approximate weight packed, 70 lbs.




D-14





D-14 Heavy Pattern Syphon Jet

13 1/2" Roughing, with 2" offset, low down tank.
Approximate weight packed, 75 lbs.



D-15 Rear Raised Vent

13" Roughing, straight connection, low down tank.
Approximate weight packed, 90 lbs.




D-15 R. R. V.

January 2, 1926



Vitreous China Syphon Jet Closet Bowls

*Hand
Pressed
Ware*





D-16 Extended Lip Syphon Jet

14" Roughing, with 2½" offset, low down tank.
Approximate weight packed, 80 lbs.



D-16 Ex. Lip





D-17 Ex. Lip, R. R. V.




D-17 Extended Lip, Rear Raised Vent

13" Roughing, straight connection, low down tank.
Approximate weight packed, 95 lbs.



D-10




D-10 Silent Knight, With Silencer

13½" Roughing, with 2" offset, low down tank.
Approximate weight packed, 80 lbs.


Vitreous China Syphon Jet Closet Bowls

Hand
Pressed
Ware





D-11 Silent Knight, With Silencer,
Rear Raised Vent

13" Roughing, straight connection, low down tank.
Approximate weight packed, 95 lbs.



D-11 R. R. V.



D-12 Ex. Lip




D-12 Silent Knight, With Silencer,
Extended Lip

14" Roughing, with 2 1/2" offset, low down tank.
Approximate weight packed, 85 lbs.



D-13 Silent Knight, With Silencer,
Extended Lip and Rear Raised Vent

13" Roughing, straight connection, low down tank. (See measurements on Page No. 32).
Approximate weight packed, 100 lbs.




D-8 Juvenile Syphon Jet

12" Roughing, straight connection, low down tank.
Approximate weight packed, 80 lbs.




D-8

January 2, 1926




**P. O. R. P.
(Illustrated)
Round Basins**

D-14" P. O. M. P.
D-14" P. O. R. P.



**P. O. M. P.
(Illustrated)
Oval Basins**


D-14" x 17" P. O. M. P.
D-14" x 17" P. O. R. P.
D-15" x 19" P. O. M. P.
D-15" x 19" P. O. R. P.
D-15" x 19" N. O. M. P.




Short Oval Hopper

With S. A.

D-1 Hopper, Short Oval with S. A.
D-2 Hopper, Short Round with S. A.
D-3 Hopper, Short Oval less S. A.
D-4 Hopper, Short Round less S. A.



Flat Back Urinal




Corner Urinal, Lipped

*Miscellaneous
Earthenware*

*Hand
Pressed
Ware*

D-1 Flat Back 15" x 18"
D-2 Flat Back 13" x 15"
D-3 Flat Back 12" x 14"
D-1 Corner 13" x 13"
D-2 Corner 11½" x 11½"
D-3 Corner 10½" x 10½"

D-1 Flat Back, with lip
15" x 18"
D-2 Flat Back, with lip
13" x 15"
D-3 Flat Back, with lip
12" x 14"
D-1 Corner, with lip
13" x 13"
D-2 Corner, with lip
11½" x 11½"
D-3 Corner, with lip
10½" x 10½"




Tall Oval Hopper

Less S. A.

D-5 Hopper, Tall Oval with S. A.
D-6 Hopper, Tall Round with S. A.
D-7 Hopper, Tall Oval less S. A.
D-8 Hopper, Tall Round less S. A.


Also furnished with right or left hand local vent.



All Seats are constructed from quarter sawed lumber, (to prevent warping) reinforced with two hardwood dowels. Being made of two pieces of wood bored each way from the center, the dowels are forced into position (as shown) under pressure, to glue joints, catching all short grains of the wood.

Regular Seats

Finished in Imitation Mahogany, Golden, Natural or Antique Oak.



D-50 Plain, Gloss finish, No. 0 N. P. Cast Brass, bar hinge.




D-62 Plain, Rubbed and Polished finish, No. 1 N. P. Cast Brass, bar hinge.




D-51 Plain, Gloss finish, Less Cover, No. 0 N. P. Cast Brass, bar hinge.



D-63 Plain, Rubbed and Polished finish, Less Cover, No. 1 N. P. Cast Brass, bar hinge.



D-60 Plain, Gloss finish, No. 1 N. P. Cast Brass, bar hinge.



D-64 Plain, Rubbed and Polished finish, No. 2 N. P. Heavy Brass, bar hinge.



D-61 Plain, Gloss finish, Less Cover, No. 1 N. P. Cast Brass, bar hinge.



D-65 Plain, Rubbed and Polished finish, Less Cover, No. 2 N. P. Heavy Brass, bar hinge.

The Seat with the "Long Life"


January 2, 1926



Saddled Seats



D-70 Saddled, Gloss finish, No. 1 N. P. Cast Brass, bar hinge.



D-71 Saddled, Rubbed and Polished finish, No. 1 N. P. Cast Brass, bar hinge.



D-72 Saddled, Rubbed and Polished finish, Less Cover, No. 1 N. P. Cast Brass, bar hinge.




D-73 Saddled, Rubbed and Polished finish, No. 2 N. P. Heavy Brass, bar hinge.



D-74 Saddled, Rubbed and Polished finish, Less Cover, No. 2 N. P. Heavy Brass, bar hinge.

Finished in Imitation Mahogany, Golden, Natural or Antique Oak


Crescent Seats



D-80 Crescent, Rubbed and Polished finish, No. 1 N. P. Cast Brass, bar hinge.



D-81 Crescent, Rubbed and Polished finish, Less Cover, No. 1 N. P. Cast Brass, bar hinge.



D-82 Crescent, Rubbed and Polished finish, No. 2 N. P. Heavy Brass, bar hinge.



D-83 Crescent, Rubbed and Polished finish, Less Cover, No. 2 N. P. Heavy Brass, bar hinge.




D-84 Crescent, Gloss finish, No. 1 N. P. Cast Brass, bar hinge.


The Seat with the "Long Life"

Extended Lip Seats

Finished in Imitation Mahogany, Golden, Natural or Antique Oak.



D-90 Full Ring, Rubbed and Polished finish, No. 2 N. P. Heavy Brass, bar hinge.



D-92 Crescent, Rubbed and Polished finish, No. 2 N. P. Heavy Brass, bar hinge.




D-91 Full Ring, Rubbed and Polished finish, Less Cover, No. 2 N. P. Heavy Brass, bar hinge.



D-93 Crescent, Rubbed and Polished finish, Less Cover, No. 2 N. P. Heavy Brass, bar hinge.



D-67 Seat, Gloss finish, No. 6 Self Raising Hinge with weights. Can furnish on any Seat equipped for No. 1 or No. 2 hinge.



D-68 Seat, Gloss finish, No. 7 Self Raising Hinge with spring device. Can furnish on any Seat equipped for No. 1 or No. 2 hinge.


Self Raising Seats

Close Roughing Seat




D-66 Seat, Gloss finish, No. 5 Close Roughing Hinge. Can furnish on any Seat equipped for No. 1 or No. 2 hinge. (Permits 2" closer roughing than regular.)

Baby Seats




D-100 Baby Insert, Gloss finish, for regular seat.



D-100W Baby Insert, Cell. White finish, for regular seat.

The Seat with the "Long Life"


January 2, 1926




D-162W Plain, No. 9 Concealed Hinge.

White Seats


Genuine Celluloid,
White Finish




D-173W Saddled, No. 9 Concealed Hinge.




D-163W Plain, Less Cover, No. 9 Concealed Hinge.




D-174W Saddled, Less Cover, No. 9 Concealed Hinge.



D-182W Crescent, No. 9 Concealed Hinge.




D-183W Crescent, Less Cover, No. 9 Concealed Hinge.




D-190W Full Ring, No. 9 Concealed Hinge.


Extended Lip Seats



D-192W Crescent, No. 9 Concealed Hinge.



D-191W Full Ring, Less Cover, No. 9 Concealed Hinge.




D-193W Crescent, Less Cover, No. 9 Concealed Hinge.


The Seat with the "Long Life"

*Reinforced Seats
(Less Cover)*


Reinforcements also furnished separately.




D-261 Plain, Gloss finish, Less Cover, No. 4 N. P. Brass reinforcement, No. 1 Hinge.




D-265 Plain, Gloss finish, Less Cover, No. 2 N. P. Brass reinforcement, No. 2 Hinge.



D-251 Plain, Gloss finish, Less Cover, No. 5 N. P. Brass reinforcement, No. 0 Hinge.




D-281 Crescent, Gloss finish, Less Cover, No. 1 N. P. Brass reinforcement, No. 1 Hinge.



D-283 Crescent, Gloss finish, Less Cover, No. 3 N. P. Brass reinforcement, No. 2 Hinge.

The Seat with the "Long Life"

January 2, 1926



No. 01R
No. 02R
No. 03R
No. 04R
No. 05R
No. 06R
No. 07R
No. 08R
No. 09R
No. 013R
No. 017R
No. 018R
No. 019R
No. 020R

No. 11R
No. 12R
No. 13R
No. 14R
No. 15R
No. 17R
No. 19R
No. 110R
No. 111R

No. 113R
No. 117R
No. 118R
No. 119R
No. 120R

Nickel Plated Bar Hinge Parts

No. 0 Hinge

- No. 01R Cover Leaf Right Side
- No. 02R Cover Leaf Left Side
- No. 03R Seat Leaf Right Side
- No. 04R Seat Leaf Left Side
- No. 05R Cover Screw $\frac{5}{8}$ "
- No. 06R Seat or Cover Spud
- No. 07R Seat Screw 1"
- No. 08R Wood Screw $\frac{3}{4}$ " x No. 8
- No. 09R Hinge Rod
- No. 013R Hinge Post Right or Left
- No. 017R Cork Washer $1\frac{1}{4}$ " Dia.
- No. 018R Cork Washer 1" Dia.
- No. 019R Metal Washer
- No. 020R Hex. Nut $\frac{3}{8}$ " x 16

No. 1 Hinge

- No. 11R Cover Leaf Right Side
- No. 12R Cover Leaf Left Side
- No. 13R Seat Leaf Right Side
- No. 14R Seat Leaf Left Side
- No. 15R Cover Screw $\frac{3}{4}$ "
- No. 17R Seat Screw 1"
- No. 19R Hinge Rod
- No. 110R N. P. Hex. Nut
- No. 111R Counter Sunk Washer
(Furnished only on Cell. White or Int. Mah. Seats.)
- No. 113R Hinge Post Right or Left
- No. 117R Cork Washer $1\frac{1}{4}$ " Dia.
- No. 118R Cork Washer 1" Dia.
- No. 119R Metal Washer
- No. 120R Hex. Nut $\frac{3}{8}$ " x 16

No. 2 Hinge

- No. 21R Cover Leaf Right or Left
- No. 23R Seat Leaf Right or Left
- No. 25R Cover Screw $\frac{3}{4}$ "
- No. 26R Seat or Cover Spud
- No. 27R Seat Screw $1\frac{1}{8}$ "
- No. 29R Hinge Rod
- No. 210R Acorn Nut
- No. 213R Hinge Post Right or Left
- No. 215R Shank 7-16" x 14
- No. 216R Half Round Washer
- No. 217R Cork Washer 1" Dia.
- No. 219R Metal Washer
- No. 220R Hex. Nut 7-16" x 14

No. 3 Hinge


- No. 31R Seat and Cover Leaf Complete, Right Side
- No. 32R Seat and Cover Leaf Complete, Left Side
- No. 33R Seat Leaf Right or Left
- No. 35R Cover Screw $\frac{5}{8}$ "
- No. 36R Seat or Cover Spud
- No. 37R Seat Screw 1"
- No. 313R Stove Bolt $\frac{1}{4}$ " x $3\frac{1}{2}$ " with Nut
- No. 318R Cork Washer 1" Dia.
- No. 319R Metal Washer

Black Rubber Bumpers

- No. 1R Large Seat Bumper 9-16" with Screw for No. 1, 2, 5, 6 and 7 Hinges
- No. 2R Large Seat Bumper $\frac{3}{8}$ " with Screw for No. 0 and 3 Hinges
- No. 3R Tack Bumper $\frac{3}{4}$ "
- No. 4R Tack Bumper $\frac{5}{8}$ "
- No. 5R Fender Bumper and Plate, for Wood Tanks

White Rubber Bumpers

- No. 1W Large Seat Bumper 9-16" with Screw for No. 1, 2, 5, 6 and 7 Hinges
- No. 3W Tack Bumper $\frac{3}{4}$ "
- No. 4W Tack Bumper $\frac{5}{8}$ "



No. 5 Close Roughing Hinge

No. 6 Self Raising Weight Device

No. 7 Self Raising Spring Device

No. 51R
No. 53R
No. 55R
No. 56R
No. 57R
No. 58R
No. 59R
No. 510R
No. 511R
No. 512R
No. 513R
No. 514R
No. 517R
No. 518R
No. 519R
No. 520R

Special Hinge Parts

No. 5 Close Roughing Hinge


No. 51R	Cover Leaf Right or Left
No. 53R	Seat Leaf Right or Left
No. 55R	Cover Screw $\frac{3}{4}$ "
No. 56R	Seat or Cover Spud
No. 57R	Seat Screw $1\frac{1}{8}$ "
No. 58R	Rear Wood Screw $\frac{5}{8}$ " x No. 6
No. 59R	Hinge Rod
No. 510R	Eccentric
No. 511R	Spring Holder
No. 512R	Spring
No. 513R	Seat Post Right Side
No. 514R	Seat Post Left Side
No. 517R	Cork Washer $1\frac{1}{4}$ " Dia.
No. 518R	Cork Washer 1" Dia.
No. 519R	Metal Washer
No. 520R	Hex. Nut $\frac{3}{8}$ " x 16

No. 6 Self Raising Weight Device


No. 63R	Seat Leaf Right Side
No. 64R	Seat Leaf Left Side
No. 66R	Seat Spud
No. 67R	Seat Screw $1\frac{1}{8}$ "
No. 69R	Hinge Rod
No. 610R	Acorn Nut
No. 611R	Weight Arm Right or Left
No. 612R	Weight with Set Screw
No. 613R	Hinge Post Right or Left
No. 615R	Shank 7-16" x 14
No. 616R	Half Round Washer
No. 617R	Cork Washer 1" Dia.
No. 619R	Metal Washer
No. 620R	Hex. Nut 7-16" x 14

No. 7 Self Raising Spring Device

No. 73R	Seat Leaf Reinforced
No. 76R	Seat Spud
No. 77R	Seat Screw $1\frac{1}{8}$ "
No. 78R	Encasement Screw $\frac{5}{8}$ "
No. 79R	Hinge Rod
No. 710R	Acorn Nut
No. 711R	Spring Encasement Complete
No. 713R	Hinge Post Right Side
No. 714R	Hinge Post Left Side
No. 715R	Shank 7-16" x 14
No. 716R	Half Round Washer
No. 717R	Cork Washer 1" Dia.
No. 719R	Metal Washer
No. 720R	Hex. Nut 7-16" x 14



No. 4 Supply Valve



No. 5 Supply Valve

THE

No.

(Furnished)

Supply

No. 430R

No. 431R

No. 432R

No. 433R

No. 434R

No. 435R

No. 436R

No. 437R

No. 442R

No. 443R

No. 445R

No. 447R

No. 448R

No. 449R

No. 451R

No. 452R

*No. 453R

*No. 456R

No. 454R

No. 455R

No. 148R

No. 149R

*No. 150R

*No. 151R

*No. 152R

*No. 162R

*Extra

We

sure. W

10, 11.

Car

shoulder

Regular Supply Valve

No. 4 Supply Valve, Elevated Pattern

(Furnished complete with coupling nut and washer.
Tail piece and float extra)

Supply Valve Parts

- No. 430R Float Rod 6 1/2" long
- No. 431R Stub
- No. 432R Thumb Screw 1/2" x 32
- No. 433R Fulcrum
- No. 434R Thumb Screw 5/8" x 32
- No. 435R Link
- No. 436R Compound Lever
- No. 437R Stem
- No. 442R Disc Washer
- No. 443R Cap
- No. 445R Body
- No. 447R Reseal Tube, 7" long
- No. 448R Hush Tube 7" long
- No. 449R Renewable Seat
- No. 451R Supply Tube 8 1/2" long
- No. 452R Shank Regular 1 13-16" long under Shoulder
- *No. 453R Shank Slip Joint 1 13-16" long under Shoulder
- *No. 456R Shank Slip Joint 3 1/8" long under Shoulder
- No. 454R Cork Washer
- No. 455R Lock Nut
- No. 148R 3/8" N. P. Coupling Nut
- No. 149R 3/8" Leather Washer
- *No. 150R 3/8" N. P. Tail Piece I. P. S. with Collar
- *No. 151R 3/8" Slip Joint Washer
- *No. 152R 3/8" N. P. Tail Piece I. P. S. Slip Joint
- *No. 162R 5" Copper Float

*Extras, furnished on specification only.

No. 5 Supply Valve, Semi-Elevated Pattern

(Furnished complete with coupling nut and washer.
Tail piece and float extra)

Supply Valve Parts


- No. 530R Float Rod 7 3/8" long
- No. 531R Stub
- No. 532R Thumb Screw 1/2" x 32
- No. 533R Fulcrum
- No. 534R Thumb Screw 5/8" x 32
- No. 535R Link
- No. 536R Compound Lever
- No. 537R Stem
- No. 542R Disc Washer
- No. 543R Cap
- No. 545R Body
- No. 547R Reseal Tube 11" long
- No. 548R Hush Tube 2 1/2" long
- No. 549R Renewable Seat
- No. 551R Supply Tube 3 1/2" long
- No. 552R Shank Regular 1 13-16" long under Shoulder
- *No. 553R Shank Slip Joint 1 13-16" long under Shoulder
- *No. 556R Shank Slip Joint 3 1/8" long under Shoulder
- No. 554R Cork Washer
- No. 555R Lock Nut
- No. 148R 3/8" N. P. Coupling Nut
- No. 149R 3/8" Leather Washer
- *No. 150R 3/8" N. P. Tail Piece I. P. S. with Collar
- *No. 151R 3/8" Slip Joint Washer
- *No. 152R 3/8" N. P. Tail Piece I. P. S. Slip Joint
- *No. 162R 5" Copper Float

*Extras, furnished on specification only.

IMPORTANT

We recommend our regular supply valves Nos. 4, 4 1/2, 5, 5 1/2 up to 40 lbs. pressure. When pressure exceeds that amount recommend our Silent Supply Valves Nos. 9, 10, 11.

Can also furnish supply valves for repair work with extra long shank (3 1/8" under shoulder) slip joint connection, upon specification.



No. 4 1/2 Supply Valve

No. 5 1/2 Supply Valve

No.

(Furnish

Supp

No. 430

No. 431

No. 432

No. 433

No. 434

No. 435

No. 436

No. 438

No. 439

No. 440

No. 441

No. 442

No. 444

No. 446

No. 447

No. 448

No. 449

No. 451

No. 452

*No. 453

*No. 456

No. 454

No. 455

No. 148

No. 149

*No. 150

*No. 151

*No. 152

*No. 162

*Extr

W

sure. V

10, 11.

Can

shoulder

Supply Valve with Cup Leather Washer on Stem

(For use where water is subject to corrosion, causing plunger to stick.)

No. 4 $\frac{1}{2}$ Supply Valve, Elevated Pattern

(Furnished complete with coupling nut and washer.
Tail piece and float extra.)

Supply Valve Parts

- No. 430R Float Rod 6 $\frac{1}{2}$ " long
- No. 431R Stub
- No. 432R Thumb Screw $\frac{1}{2}$ " x 32
- No. 433R Fulcrum
- No. 434R Thumb Screw $\frac{5}{8}$ " x 32
- No. 435R Link
- No. 436R Compound Lever
- No. 438R Stem
- No. 439R Brass Washer
- No. 440R Cup Leather
- No. 441R Brass Bushing
- No. 442R Disc Washer
- No. 444R Cap
- No. 446R Body
- No. 447R Reseal Tube 7" long
- No. 448R Hush Tube 7" long
- No. 449R Renewable Seat
- No. 451R Supply Tube 8 $\frac{1}{2}$ " long
- No. 452R Shank Regular 113-16" long under
Shoulder
- *No. 453R Shank Slip Joint 113-16" long under
Shoulder
- *No. 456R Shank Slip Joint 3 $\frac{1}{8}$ " long under Shoul-
der
- No. 454R Cork Washer
- No. 455R Lock Nut
- No. 148R $\frac{3}{8}$ " N. P. Coupling Nut
- No. 149R $\frac{3}{8}$ " Leather Washer
- *No. 150R $\frac{3}{8}$ " N. P. Tail Piece I. P. S. with Collar
- *No. 151R $\frac{3}{8}$ " Slip Joint Washer
- *No. 152R $\frac{3}{8}$ " N. P. Tail Piece I. P. S. Slip Joint
- *No. 162R 5" Copper Float

*Extras, furnished on specification only.

No. 5 $\frac{1}{2}$ Supply Valve, Semi-Elevated Pattern

(Furnished complete with coupling nut and washer.
Tail piece and float extra.)

Supply Valve Parts

- No. 530R Float Rod 7 $\frac{3}{8}$ " long.
- No. 531R Stub
- No. 532R Thumb Screw $\frac{1}{2}$ " x 32
- No. 533R Fulcrum
- No. 534R Thumb Screw $\frac{5}{8}$ " x 32
- No. 535R Link
- No. 536R Compound Lever
- No. 538R Stem
- No. 539R Brass Washer
- No. 540R Cup Leather
- No. 541R Brass Bushing
- No. 542R Disc Washer
- No. 544R Cap
- No. 546R Body
- No. 547R Reseal Tube 11" long.
- No. 548R Hush Tube 2 $\frac{1}{2}$ " long
- No. 549R Renewable Seat
- No. 551R Supply Tube 3 $\frac{1}{2}$ " long
- No. 552R Shank Regular 113-16" long under
Shoulder
- *No. 553R Shank Slip Joint 113-16" long under
Shoulder
- *No. 556R Shank Slip Joint 3 $\frac{1}{8}$ " long under Shoul-
der
- No. 554R Cork Washer
- No. 555R Lock Nut
- No. 148R $\frac{3}{8}$ " N. P. Coupling Nut
- No. 149R $\frac{3}{8}$ " Leather Washer
- *No. 150R $\frac{3}{8}$ " N. P. Tail Piece I. P. S. with Collar
- *No. 151R $\frac{3}{8}$ " Slip Joint Washer
- *No. 152R $\frac{3}{8}$ " N. P. Tail Piece I. P. S. Slip Joint
- *No. 162R 5" Copper Float


*Extras, furnished on specification only.

IMPORTANT

We recommend our regular supply valves Nos. 4, 4 $\frac{1}{2}$, 5, 5 $\frac{1}{2}$ up to 40 lbs. pres-
sure. When pressure exceeds that amount recommend our Silent Supply Valves Nos. 9,
10, 11.

Can also furnish supply valves for repair work with extra long shank (3 $\frac{1}{8}$ " under
shoulder) slip joint connection, upon specification.

January 2, 1926



No. 10 Supply Valve With Silencer

No. 11 Concealed Top Supply Valve With Pressure Regulator

Silent Supply Valve

No. 10 Semi-Silent Supply Valve, Elevated Pattern

(Furnished complete with coupling nut and washer.
Tail piece and float extra.)

Supply Valve Parts

No. 1030R	Float Rod 6 1/2" long
No. 1031R	Stub
No. 1032R	Thumb Screw 1/2" x 32
No. 1033R	Fulcrum
No. 1034R	Thumb Screw 5/8" x 32
No. 1035R	Link
No. 1036R	Compound Lever
No. 1037R	Stem
No. 1042R	Disc Washer
No. 1043R	Cap
No. 1045R	Body
No. 1047R	Reseal Tube 7" long
No. 1048R	Hush Tube 7" long
No. 1049R	Renewable Seat
No. 1051R	Silencer Tube 8 1/2" long
No. 1052R	Shank Regular 1 13-16" long under Shoulder
*No. 1053R	Shank Slip Joint 1 13-16" long under Shoulder
*No. 1056R	Shank Slip Joint 3 1/8" long under Shoulder
No. 1054R	Cork Washer
No. 1055R	Lock Nut
No. 148R	3/8" N. P. Coupling Nut
No. 149R	3/8" Leather Washer
*No. 150R	3/8" N. P. Tail Piece, I. P. S. with Col- lar
*No. 151R	3/8" Slip Joint Washer
*No. 152R	3/8" N. P. Tail Piece I. P. S. Slip Joint
*No. 162R	5" Copper Float

*Extras, furnished on specification only.

No. 11 Concealed Top Supply Valve, with Pressure Regulator

(Furnished complete, except float).

Supply Valve Parts


No. 1130R	Float Rod 7 3/8" long
No. 1131R	Stub
No. 1132R	Thumb Screw 1/2" x 32
No. 1133R	Fulcrum
No. 1134R	Thumb Screw 5/8" x 32
No. 1135R	Link
No. 1136R	Compound Lever
No. 1138R	Stem
No. 1139R	Brass Washer
No. 1140R	Cup Leather
No. 1141R	Brass Bushing
No. 1142R	Disc Washer
No. 1144R	Cap
No. 1146R	Body
No. 1147R	Reseal Tube 8" long
No. 1148R	Hush Tube 8 1/2" long
No. 1149R	Renewable Seat
No. 1152R	Regulating Valve
No. 1153R	Regulating Key
No. 1154R	Felt Washer
No. 1155R	Packing Nut
No. 1157R	Bent Tail Piece
No. 148R	3/8" N. P. Coupling Nut
No. 149R	3/8" Leather Washer
*No. 162R	5" Copper Float

*Extras, furnished on specification only.

IMPORTANT

We recommend our regular supply valves Nos. 4, 4 1/2, 5, 5 1/2 up to 40 lbs. pressure. When pressure exceeds that amount recommend our Silent Supply Valves Nos. 9, 10, 11.

Can also furnish supply valves for repair work with extra long shank (3 1/8" under shoulder) slip joint connection, upon specification.



No. 9 Supply Valve with Silencer

Silent Supply Valve

No. 9 Silent Supply Valve, Elevated Pattern

(Furnished complete with coupling nut and washer.
Tail piece and float extra.)

Supply Valve Parts

No. 930R	Float Rod 5 1/2" long
No. 931R	Stub
No. 932R	Thumb Screw 1/2" x 32
No. 933R	Fulcrum
No. 934R	Thumb Screw 5/8" x 32
No. 935R	Link
No. 936R	Compound Lever
No. 938R	Stem
No. 939R	Brass Washer
No. 940R	Cup Leather
No. 941R	Brass Bushing
No. 942R	Disc Washer
No. 944R	Cap
No. 946R	Body
No. 947R	Reseal Tube 7" long
No. 948R	Hush Tube 7" long
No. 949R	Renewable Seat
No. 950R	Elbow
No. 951R	Silencer Tube 10" long
No. 952R	Shank Regular 1 13-16" long under Shoulder
*No. 953R	Shank Slip Joint 1 13-16" long under Shoulder
*No. 956R	Shank Slip Joint 3 1/8" long under Shoul- der
No. 954R	Cork Washer
No. 955R	Lock Nut
No. 148R	3/8" N. P. Coupling Nut
No. 149R	3/8" Leather Washer
*No. 150R	3/8" N. P. Tail Piece, I. P. S. with Collar
*No. 151R	3/8" Slip Joint Washer
*No. 152R	3/8" N. P. Tail Piece, I. P. S. Slip Joint
*No. 162R	5" Copper Float


*Extras, furnished on specification only.

IMPORTANT

We recommend our regular supply valves Nos. 4, 4 1/2, 5, 5 1/2 up to 40 lbs. pressure.
When pressure exceeds that amount recommend our Silent Supply Valves Nos. 9, 10,
11.

Can also furnish supply valves for repair work with extra long shank (3 1/8" under
shoulder) slip joint connection, upon specification.

January 2, 1926



No. 1 Flush Valve

Flush Valve & Flush Lever

No. 1 Flush Valve

Flush Valve Parts

- No. 170R Overflow Tube 1 $\frac{1}{8}$ " x 11" long
- *No. 171R Overflow Tube 1 $\frac{1}{8}$ " x 12" long
- No. 172R Guide
- No. 173R Guide Screw $\frac{1}{2}$ " x 20
- No. 174R Lift Link 5 $\frac{3}{4}$ " long
- *No. 175R Lift Link 6 $\frac{1}{4}$ " long
- No. 177R Rubber Ball Stem 4 $\frac{5}{8}$ " long
- No. 178R Rubber Flush Ball
- No. 179R Flush Valve Body
- No. 180R Cork Washer
- No. 181R Lock Nut

Rocking Top Lever

Lever Parts

- No. 182R China Handle
- *No. 182RC China Handle with Lever, Crank and Screw
- No. 183R Lever Crank with N. P. Nut
- No. 184R Barrel and Nut 1 $\frac{5}{8}$ " long
- *No. 184RL Barrel and Nut 2 $\frac{1}{8}$ " long
- No. 185R Bracket and Cotter Pin
- No. 186R Lift Lever


Bottom Pull Lever

Lever Parts

- No. 187R Upper Bracket with Nut and Cotter Pin
- No. 188R Lift Lever
- No. 189R Trip Rod 16" long
- *No. 189RL Trip Rod 16 $\frac{1}{2}$ " long
- No. 190R Lower Bracket
- No. 191R Thumb Screw
- No. 192R China Lever

*Extras, furnished on Silent Knight Tanks only.

WATER CLOSET SPUD




No. 340R Sanitas Spud



No. 341R Eureka Spud

- No. 340R Sanitas Spud 2"
- No. 341R Eureka Spud 2"
- No. 342R Eureka Spud 1 $\frac{1}{4}$ "
- No. 343R Reducing Spud 2" x 1 $\frac{1}{4}$ "
- No. 344R Reducing Spud 2" x 1 $\frac{1}{2}$ "
- No. 345R N. P. Reducer 2" x 1 $\frac{1}{4}$ "
- No. 346R N. P. Reducer 2" x 1 $\frac{1}{2}$ "
- No. 347R N. P. Increaser 1 $\frac{1}{4}$ " x 2"
- No. 348R R. B. Increaser 1 $\frac{1}{2}$ " x 2"
- No. 349R Spud Rubber 2"
- No. 350R Spud Rubber 1 $\frac{1}{4}$ "



MISCELLANEOUS PARTS

Flush Connections

- No. 125R N. P. Elbow 2" x 5" x 6"
- No. 126R N. P. Elbow 2" x 6" x 8"
- No. 127R N. P. Str. Conn. 2" x 3"
- *No. 127RL N. P. Str. Conn. 2" x 6"
- No. 128R N. P. Offset 2" x 1" x 6"
- No. 129R N. P. Offset 2" x 1 1/2" x 6"
- No. 130R N. P. Offset 2" x 2" x 6"
- No. 131R N. P. Offset 2" x 2 1/2" x 6"
- No. 132R N. P. Offset 2" x 3" x 6"
- No. 133R N. P. Offset 2" x 3 1/2" x 6"
- No. 134R N. P. Offset 2" x 4" x 6"
- No. 135R N. P. Coupling Nut 2"
- No. 136R Slip Joint Washer 2"

Flanges

- No. 137R N. P. Floor Flange 3/8"
- No. 138W White China Flange 2"
- No. 139W China Wall Flange 4" with Screws
- No. 140R Cast Brass Floor Flange
- No. 141R Cork Gasket
- No. 142R Flange Bolt
- No. 143R N. P. Hex. Nut
- No. 144R N. P. Washer

Nickel Plated Straight Supplies

3/8" I. P. S.

(Regular Supply furnished with Collar)

- No. 145R Regular 20" long
- *No. 245R Slip Joint 20 1/4" long
- No. 146R Regular 22" long
- *No. 246R Slip Joint 22 1/4" long
- No. 147R Regular 23 3/4" long
- *No. 247R Slip Joint 24" long
- No. 148R Coupling Nut N. P. 29-32" x 14
- No. 149R Leather Washer 3/8"
- No. 150R Tail Piece N. P. Regular 23 3/4" long
- *No. 151R Slip Joint Washer 3/8"
- *No. 152R Tail Piece N. P. Slip Joint 3" long

Nickel Plated Angle Supplies

- No. 165R Regular 3 1/2" x 4"
- *No. 265R Slip Joint 3 3/4" x 4"

Nickel Plated Supplies with Tee Handle Straight Stop Valve

3/8" I. P. S.

(Regular Supply furnished with Collar)

- No. 153R Regular 20" long
- *No. 253R Slip Joint 20 1/4" long
- No. 2153R Regular 22" long
- *No. 2253R Slip Joint 22 1/4" long
- No. 3153R Regular 23 3/4" long
- *No. 3253R Slip Joint 24" long

*Extras, furnished on specification only.

For White Finish on Metal Parts see page No. 74

Nickel Plated Supplies with

Wheel Handle Straight Stop Valve

3/8" I. P. S.

(Regular Supply furnished with Collar)

- No. 154R Regular 20" long
- *No. 254R Slip Joint 20 1/4" long
- No. 2154R Regular 22" long
- *No. 2254R Slip Joint 22 1/4" long
- No. 3154R Regular 23 3/4" long
- *No. 3254R Slip Joint 24" long

Tee Handle Angle Stop

- No. 155R Regular 3 1/2" x 4"
- *No. 255R Slip Joint 3 3/4" x 4"

Wheel Handle Angle Stop


- No. 156R Regular 3 1/2" x 4"
- *No. 256R Slip Joint 3 3/4" x 4"

*Extras, furnished on specification only.


Miscellaneous

- No. 157R Closet Screws with N. P. Nut
- No. 158R N. P. Washer
- No. 159W China Cap, large size
- No. 160W China Cap, small size
- No. 161R Tank Bracket and Screws
- No. 163W White Screw for Wall Flange

Vitreous China Shield for Offset Flush Connection



- No. 2 Shield for 1" or 2" Offset
- No. 3 Shield for 2 1/2" or 3" Offset
- No. 4 Shield for 3 1/2" or 4" Offset



White Finished Metal Parts

(Exposed Parts Only)

Flush Connections

No.	125W	Elbow 2" x 5" x 6"
No.	126W	Elbow 2" x 6" x 8"
No.	127W	Str. Conn. 2" x 3"
*No.	127WL	Str. Conn. 2" x 6"
No.	128W	Offset 2" x 1" x 6"
No.	129W	Offset 2" x 1½" x 6"
No.	130W	Offset 2" x 2" x 6"
No.	131W	Offset 2" x 2½" x 6"
No.	132W	Offset 2" x 3" x 6"
No.	133W	Offset 2" x 3½" x 6"
No.	134W	Offset 2" x 4" x 6"
No.	135W	Coupling Nut 2"

Straight Supplies

¾" I. P. S.

(Regular Supply furnished with Collar)

No.	145W	Regular 20" long
No.	245W	Slip Joint 20¼" long
No.	146W	Regular 22" long
No.	246W	Slip Joint 22¼" long
No.	147W	Regular 23¾" long
No.	247W	Slip Joint 24" long
No.	148W	Coupling Nut 29-32" x 14
No.	137W	Floor Flange ¾"

Angle Supplies

No.	165W	Regular 3½" x 4"
No.	265W	Slip Joint 3¾" x 4"

Supplies with Tee Handle Straight Stop Valve

¾" I. P. S.

(Regular Supply furnished with Collar)

No.	153W	Regular 20" long
No.	253W	Slip Joint 20¼" long
No.	2153W	Regular 22" long
No.	2253W	Slip Joint 22¼" long
No.	3153W	Regular 23¾" long
No.	3253W	Slip Joint 24" long

Wheel Handle Straight Stop Valve

No.	154W	Regular 20" long
No.	254W	Slip Joint 20¼" long
No.	2154W	Regular 22" long
No.	2254W	Slip Joint 22¼" long
No.	3154W	Regular 23¾" long
No.	3254W	Slip Joint 24" long

*Extras, furnished on specification only.

Supplies with Tee Handle Angle Stop

¾" I. P. S.

(Regular Supply furnished with Collar)

No.	155W	Regular 3½" x 4"
No.	255W	Slip Joint 3¾" x 4"

Wheel Handle Angle Stop

No.	156W	Regular 3½" x 4"
No.	256W	Slip Joint 3¾" x 4"

Rocking Top Lever

No.	182W	White China Handle
*No.	182WC	White China Handle with Lever Crank and Screw
No.	183W	Lever Crank with White Nut
No.	184W	Barrel and Nut 15/8" long
*No.	184WL	Barrel and Nut 21/8" long

Bottom Pull Lever

No.	192W	White China Lever
-----	------	-------------------

All China Rocking Top Lever

No.	282W	All China Handle with Lever Crank and Screw. (Small size)
No.	382W	All China Handle with Lever Crank and Screw. (Large size)
No.	284W	Barrel and Nut 17-16" long
*No.	284WL	Barrel and Nut 111-16" long

*Extras, furnished on Silent Knight Tanks only.

